# **Processing Files and Folders with FTK Imager**

- Introduction
- FTK Imager
- Mounting an Image
- Importing from a Mounted Volume

### Introduction

One option for processing files from an imaged file system is to mount and process them using a mounting tool. However, there are two drawbacks to this methodology which a user should be aware of:

- Bypassing File / Folder Permissions
- Junction Points redirecting to user's own hard disk

FTK Imager is a free tool from AccessData® which has an option to mount an image. It can also bypasses file / folder permissions and does not have the junction point issue many other mounting tools have.

## FTK Imager

FTK Imager is a data preview and imaging tool that lets you quickly assess electronic evidence. It can also create copies (forensic images) of computer data without making changes to the original evidence. Version 3 of FTK imager incudes an imaging mounting option allowing forensic images to be mounted as a drive or physical device, for read-only viewing. This action opens the image as a drive and allows you to browse the content in Windows and other applications.

### Mounting an Image

Run FTK Imager and select File » Image Mounting. Make sure that one of the options you select includes Logical. You must ensure that the mount method is "File System / Read Only". If you do not select this option, you will have permission and junction point issues when processing the file and folders.

	, Dive					
dd Image —						
Image File:						
E:\2012-12-	-28 - Dell Dimension 500	00\Dell-Dimension-5000.E	01			
Mount T	ype: Logical Only	: Logical Only				
Drive Le	tter: Next Available (L	Next Available (L:)				
Mount Method: File System / Read Only						
	1					
Write Cache	e Folder:					
E:\2012-12	-28 - Dell Dimension 50	00				
				Mount		
lapped Imag	e List					
Mapped Imag Mapped Imag	e List jes:					
Mapped Imag Mapped Imag Drive	e List jes: Method	Partition	Image			
Mapped Imag Mapped Ima <u>c</u> Drive	e List jes: Method	Partition	Image			
4apped Imag Mapped Ima <u>c</u> Drive	e List jes: Method	Partition	Image			
Mapped Imag Mapped Imag Drive	e List jes: Method	Partition	Image			
Mapped Imag Mapped Ima <u>c</u> Drive	e List jes: Method	Partition	Image			
Mapped Imag Mapped Ima <u>c</u> Drive	e List jes: Method	Partition	Image			
Mapped Imag	e List jes: Method	Partition	Image			
Napped Imag Mapped Imag Drive	e List jes: Method	Partition	Image			
Aapped Imag	e List jes: Method	Partition	Image	Unmount		
Apped Imag	e List jes: Method	Partition	Image	Unmount		

Click the Mount button to mount the image. In this case, we have select to mount each of the logical volumes found in the image as drive letters.

## Importing from a Mounted Volume

Once the volume has been mounted, launch NetAnalysis<sup>®</sup>, create a new case and can select which folder to start searching/importing from (File » Import » Data From Folder). In this case, we have selected the root folder. This will search through every folder/file on the partition for supported file types and then import any that are identified.

Select Folder				X	
Computer > NONAN	1E (M:) •	•	✓ Search NONAM	E (M:)	
Organize 🔻				= • 🔞	
Computer Local Disk (C:) User Data (D:) Cases (E:) Data (F:) New Volume (H:) My Passport (I:) RECOVERY (K:) NONAME (L:) NONAME (M:)	Name  Iorphan]  Iorphan]  Iorot]  Iunallocated space]	Date modified 2014-10-07 13:26 2012-12-27 19:46 2014-10-07 13:26	Type File folder File folder	Size	
Folder: [root]	[root]				
			Select Folder	Cancel	